Neuroscience Letters, 79 (1987) 355–358
Elsevier Scientific Publishers Ireland Ltd.

AUTHOR INDEX

Adachi, K., see Ohsugi, K., 351
Akaike, N., Kawai, N., Kiskin, N.I., Kljuchko, E.M., Krishtal, O.A. and Tsyndrenko, A.Ya., Spider toxin blocks excitatory amino acid responses in isolated hippocampal pyramidal neurons, 326
Alonso, G., see Siaud, P., 47
Ando, K., see Ohsugi, K., 351
André-Deshays, C., see Clément, G., 113
Arendt, J., see Broadway, J., 185
Askmark, H. and Gillberg, P.-G., In vitro autoradiography of [^{3}H]acetylcholine binding in rat hind limb muscles, 277
Atack, J.R., Perry, E.K. Bonham, J.R., Boakes, R. and Candy, J.M., Loss and recovery of acetylcholinesterase molecular forms in the fornix-lesioned rat hippocampus, 179
Auyeung, A., May, P.B.Y., Goh, J.W. and Sastry, B.R., Temporal requirements of associative short-term potentiation in Ca_1 neurons of rat hippocampus, 117

Bailo, M., see Jhanwar-Uniyal, M., 145
Bartha, E., Szelényi, J., Szilágyi, K., Venter, V., Thu Ha, N.T., Páldi-Haris, P. and Hollán, S., Altered lymphocyte acetylcholinesterase activity in patients with senile dementia, 190
Beal, M.F., Mazurek, M.F. and McKee, M.A., The regional distribution of somatostatin and neuropeptide Y in control and Alzheimer's disease striatum, 201
Bednar, I., Forsberg, G. and Södersen, P., Inhibition of sexual behavior in female rats by intracerebral injections of Met-enkephalin in combination with an inhibitor of enkephalin degrading enzymes, 341
Bell, R., see Nolan, P.M., 346
Bettica, P., see Guidobono, F., 91
Beuerman, R., see Peavy, D., 40
Blakely, R.D., Ory-Lavollée, L. and Coyle, J.T., Specific alterations in the levels of *N*-acetyl-aspartyl-glutamate in the nervous system of the dystrophic mouse, 223
Bloom, F.E., see Wiesner, J.B., 169
Boakes, R., see Atack, J.R., 179
Bogos, S., see Peavy, D., 40
Bonham, J.R., see Atack, J.R., 179
Broadway, J., Arendt, J. and Folkard, S., Bright light phase shifts the human melatonin rhythm during the Antarctic winter, 185

Campana, E., see Scarnati, E., 11
Candy, J.M., see Atack, J.R., 179
Carbajo Pérez,d S., see Vuillez, P., 53
Cartee, G.D., see MacRae, P.G., 138
Charli, J.L., see Vargas, M., 311
Cisneros, M., see Vargas, M., 311
Clément, G. and André-Deshays, C., Motor activity and visually induced postural reactions during two-*g* and zero-*g* phases of parabolic flight, 113
Cole, G.M. and Timiras, P.S., Ubiquitin–protein conjugates in Alzheimer's lesions, 207
Cotman, C.W., see Stevens, D.R., 301
Coyle, J.T., see Blakely, R.D., 223
Creese, I., see Koob, G.F., 315
Cross, A.J., Slater, P., Simpson, M., Royston, C., Deakin, J.F.W., Perry, R.H. and Perry, E.K., Sodium dependent D-[^{3}H]asparatate binding in cerebral cortex in patients with Alzheimer's and Parkinson's diseases, 213

De Jersey, J., see McKinnon, G., 163
Deakin, J.F.W., see Cross, A.J., 213
Della Briotta, G., see Hösli, L., 108
Dihl, F., see Gossard, F., 251
Dreher, B., see McCall, M.J., 78
Dubois, P.M., see Gossard, F., 251
Durand, J., Engberg, I. and Tyc-Dumont, S., L-Glutamate and *N*-methyl-D-aspartate actions on membrane potential and conductance of cat abducens motoneurones, 295

Endo, T., see Endo, Y., 272
Endo, Y., Endo, T. and Kobayashi, S., Electron microscopic study on S-100 protein-immunoreactive cells in the guinea pig duodenum, with special reference to the interstitial cells of Cajal, 272
Engberg, I., see Durand, J., 295
Engel, W.K., see Hawkins, E.F., 157

Fahrenkrug, J., see Mikkelsen, J.D., 281
Fanelli, R.F., see Rapp, P.R., 17
Farrar, R.P., see MacRae, P.G., 138
Folkard, S., see Broadway, J., 185
Forsberg, G., see Bednar, I., 341
Friedman, L. and Mytilineou, C., The toxicity of MPTP to dopamine neurons in culture is reduced at high concentrations, 65

0304-3940/87/$ 03.50 © 1987 Elsevier Scientific Publishers Ireland Ltd.

Gallagher, M., see Rapp, P.R., 17
Garthwaite, G. and Garthwaite, J., Quinolinate mimics neurotoxic actions of *N*-methyl-D-aspartate in rat cerebellar slices, 35
Garthwaite, J., see Garthwaite, G., 35
Gasbarri, A., see Scarnati, E., 11
Gebhardt, B., see Peavy, D., 40
Geffard, M., see Vieillemaringe, J., 59
Getz, R.L., Moody, T.W. and Rosenstein, J.M., Neuropeptide receptors are present in fetal neocortical transplants, 97
Gillberg, P.-G., see Askmark, H., 277
Goh, G.W., see Auyeung, A., 117
Gonzalez, A. and Munoz, M., Distribution and morphology of abducens motoneurons innervating the lateral rectus and retractor bulbi muscles in the frog *Rana ridibunda*, 29
Gossard, F., Dihl, F., Pelletier, G., Dubois, P.M. and Morel, G., In situ hybridization to rat brain and pituitary gland of growth hormone cDNA, 251
Grandier-Vazeilles, X., see Vieillemaringe, J., 59
Guidobono, F., Netti, C., Pagani, F., Bettica, P., Villa, I. and Pecile, A., Evidence for different classes of calcitonin binding sites in rat CNS: an autoradiographic study with carbo-calcitonin, 91

Hannah, R.S., Parkinson, D., Spira, A.W. and Roth, S.H., The effect of chlorpromazine on monamine levels in the rat cerebellum and hippocampus: a developmental study, 133
Hars, B. and Hennevin, E., Impairment of learning by cueing during postlearning slow-wave sleep in rats, 290
Hartlieb, E. and Stuermer, C.A.O., Preferential loss of collaterals from goldfish retinal axons in the optic tract is delayed by tetrodotoxin, 1
Hatanaka, H., Tsukui, H. and Nihonmatsu, I., Septal cholinergic neurons from postnatal rat can survive in the dissociate culture conditions in the presence of nerve growth factor, 85
Hattori, T., see Takada, M., 257
Hawkins, E.F. and Engel, W.K., Kinetic analysis of thyrotropin-releasing hormone binding in the central nervous system: evidence for receptor desensitization, 157
Hayashi, Y., Taniura, H. and Miki, N., A proteolytic 140-kDa fragment of neurite outgrowth factor and its cell-binding activity, 321
Heikkila, R.E., see Youngster, S.K., 151
Hennevin, E., see Hars, B., 290
Henriksen, S.J., see Wiesner, J.B., 169
Hill, D.R., Shaw, R.M. and Woodruff, G.N., Species differences in the localization of 'peripheral' type cholecystokinin receptors in rodent brain, 286
Hollán, S., see Bartha, E., 190
Hösli, E., see Hösli, L., 108
Hösli, L., Hösli, E., Uhr, M. and Della Briotta, G., Electrophysiological evidence for adenosine receptors on astrocytes of cultured rat central nervous system, 108
Huck, S. and Lux, H.D., Patch-clamp study of ion channels activated by GABA and glycine in cultured cerebellar neurons of the mouse, 103

Ibaragi, M.-a., see Tsutsumi, K., 174
Inenaga, K., Oomura, Y., Shimizu, N., Kasai, M. and Yamashita, H., Inhibitory effects of 2-deoxytetronic acid, a putative endogenous satiety factor, on paraventricular neurons of rats, in vitro, 123
Inoue, H., see Takayama, H., 246
Itagaki, S., see McGeer, P.L., 195
Iwashita, T., see Naoi, M., 331

Jefferey, D., see Rutherford, D.M., 337
Jhanwar-Uniyal, M., Renner, K., Bailo, M., Luine, V.N. and Leibowitz, S.F., Serotonin and 5-hydroxyindoleacetic acid levels in discrete hypothalamic areas of the rat brain: relation to circulating corticosterone, 145
Jones, T.E. and Munger, B.L., Neural modulation of cutaneous differentiation: epidermal hyperplasia and precocious hair development following partial neuralectomy in opossum pups, 6
Joseph-Bravo, P., see Vargas, M., 311

Kaiserauer, C.H., see Kornhuber, J., 218
Kasai, M., see Inenaga, K., 123
Kawai, N., see Akaike, N., 326
Kawano, T., see Tsutsumi, K., 174
Kiskin, N.I., see Akaike, N., 326
Kljuchko, E.M., see Akaike, N., 326
Kobayashi, S., see Endo, Y., 272
Kohsaka, S., see Takayama, H., 246
Koob, G.F., Le, H.T. and Creese, I., The D_1 dopamine receptor antagonist SCH 23390 increases cocaine self-administration in the rat, 315
Kornhuber, A.W., see Kornhuber, J., 218
Kornhuber, J., Kaiserauer, C.H., Kornhuber, A.W. and Kornhuber, M.E., Alcohol consumption and blood-cerebrospinal fluid barrier dysfunction in man, 218
Kornhuber, M.E., see Kornhuber, J., 218
Krishtal, O.A., see Akaike, N., 326

Larsen, J.N.B., see Mikkelsen, J.D., 281
Le, H.T., see Koob, G.F., 315
Lehmann, A., Neurotoxicity of calcium ionophore A23187 in immature rat cerebellar slices, 263
Leibowitz, S.F., see Jhanwar-Uniyal, M., 145
Li, Z.K., see Takada, M., 257
Lister, R.G., Reversal of the intrinsic effects of Ro 15-4513 on exploratory behavior by two benzodiazepine receptor antagonists, 306
Luine, V.N., see Jhanwar-Uniyal, M., 145
Lunt, G.G., see Rutherford, D.M., 337
Lux, H.D., see Huck, S., 103

MacRae, P.G., Spirduso, W.W., Cartee, G.D., Farrar, R.P. and Wilcox, R.E., Endurance training effects on striatal D_2 dopamine receptor binding and striatal dopamine metabolite levels, 138
Martinez, S., see Puelles, L., 23
Martinez-De-La-Torre, M., see Puelles, L., 23
May, P.B.Y., see Auyeung, A., 117
Mazurek, M.F., see Beal, M.F., 201
McCall, M.J., Robinson, S.R. and Dreher, B., Differential retinal growth appears to be the primary factor producing the ganglion cell density gradient in the rat, 78
McGeer, E.G., see McGeer, P.L., 195
McGeer, P.L., Itagaki, S., Tago, H. and McGeer, E.G., Reactive microglia in patients with senile dementia of the Alzheimer type are positive for the histocompatibility glycoprotein HLA-DR, 195
McGuire, M., see Rapp, P.R., 17
McKee, M.A., see Beal, M.F., 201
McKinnon, G., De Jersey, J., Shanley, B. and Ward, L., The reaction of acetaldehyde with brain microtubular proteins: formation of stable adducts and inhibition of polymerization, 163
Mendez, MM, see Vargas, M., 311
Miki, N., see Hayashi, Y., 321
Mikkelsen, J.D., Larsen, J.N.B., Fahrenkrug, J. and Møller, M., Peptide histidine-isoleucine (PHI)-immunoreactive amacrine cells in the retina of the rat, 281
Møller, M., see Mikkelsen, J.D., 281
Moody, T.W., see Getz, R.L., 97
Morel, G., see Gossard, F., 251
Morgan, I.G., AMPA is a powerful neurotoxin in the chicken retina, 267
Mori, K., see Tsutsumi, K., 174
Mukhametov, L.M., Unihemispheric slow-wave sleep in the Amazonian dolphin, *Inia geoffrensis*, 128
Mukoyama, M., see Ohsugi, K., 351
Munger, B.L., see Jones, T.E., 6
Munoz, M., see Gonzalez, A., 29
Mytilineou, C., see Friedman, L., 65

Nagatsu, T., see Naoi, M., 331
Naoi, M., Iwashita, T. and Nagatsu, T., Binding of specific glycoconjugates to human brain synaptosomes: studies using glycosylated β-galactosidase, 331
Netti, C., see Guidobono, F., 91
Nihonmatsu, I., see Hatanaka, H., 85
Niwa, M., see Tsutsumi, K., 174
Nolan, P.M., Bell, R. and Regan, C.M., Acquisition of a brief behavioural experience in the rat is inhibited by the brain-specific monoclonal antibody, F3-87-8, 346

Ohsugi, K., Adachi, K., Mukoyama, M. and Ando, K., Lack of change in indoleamine metabolism in spinal cord of patients with amyotrophic lateral sclerosis, 351
Oka, Y., see Takei, K., 241
Oomura, Y., see Inenaga, K., 123
Ory-Lavollée, L., see Blakely, R.D., 223
Ozaki, M., see Tsutsumi, K., 174

Pacitti, C., see Scarnati, E., 11
Pagani, F., see Guidobono, F., 91
Parkinson, D., see Hannah, R.S., 133
Peavy, D., Bogos, S., Gebhardt, B. and Beuerman, R., Immunohistochemical differentiation of Schwann and epithelial basal lamina in the rabbit cornea, 40
Pecile, A., see Guidobono, F., 91
Pelletier, G., see Gossard, F., 251
Perry, E.K., see Atack, J.R., 179
Perry, E.K., see Cross, A.J., 213
Perry, R.H., see Cross, A.J., 213
Puelles, L., Martinez, S. and Martinez-De-La-Torre, M., The locus of optic nerve head representation in the chick retinotectal map lacks a retinal projection, 23
Páldi-Haris, P., see Bartha, E., 190

Rapp, P.R., Fanelli, R.F., McGuire, M., Rosenberg, R.A. and Gallagher, M., Alterations in [^{3}H]desmethylimipramine binding in the aged rat brain: an in vitro autoradiographic demonstration, 17
Regan, C.M., see Nolan, P.M., 346
Renner, K., see Jhanwar-Uniyal, M., 145
Robinson, S.R., see McCall, M.J., 78

Rosenberg, R.A., see Rapp, P.R., 17
Rosenstein, J.M., see Getz, R.L., 97
Roth, S.H., see Hannah, R.S., 133
Royston, C., see Cross, A.J., 213
Rutherford, D.M., Jefferey, D., Lunt, G.G. and Weitzman, P.D.J., GABA binding to receptor sites in locust supraoesophageal ganglia, 337

Saari, W.S., see Youngster, S.K., 151
Sastry, B.R., see Auyeung, A., 117
Satou, M., see Takei, K., 241
Scarnati, E., Gasbarri, A., Campana, E. and Pacitti, C., The organization of nucleus tegmenti pedunculopontinus neurons projecting to basal ganglia and thalamus: a retrograde fluorescent double labeling study in the rat, 11
Shanley, B., see McKinnon, G., 163
Shaw, R.M., see Hill, D.R., 286
Shimizu, N., see Inenaga, K., 123
Shinozaki, T., see Takayama, H., 246
Siaud, P., Tapia-Arancibia, L., Szafarczyk, A. and Alonso, G., Increase of thyrotropin-releasing hormone immunoreactivity in the nucleus of the solitary tract following bilateral lesions of the hypothalamic paraventricular nuclei, 47
Simpson, M., see Cross, A.J., 213
Slater, P., see Cross, A.J., 213
Södersen, P., see Bednar, I., 341
Souan, M.-L., see Vieillemaringe, J., 59
Spira, A.W., see Hannah, R.S., 133
Spirduso, W.W., see MacRae, P.G., 138
Stevens, D.R. and Cotman, C.W., Excitatory actions of tetrahydro-9-aminoacridines (THA) on hippocampal pyramidal neurons, 301
Stoeckel, M.E., see Vuillez, P., 53
Stuermer, C.A.O., see Hartlieb, E., 1
Szafarczyk, A., see Siaud, P., 47
Szelényi, J., see Bartha, E., 190
Szilágyi, K., see Bartha, E., 190

Tago, H., see McGeer, P.L., 195
Takada, M., Li, Z.K. and Hattori, T., A direct projection from the tuberomammillary nucleus to the spinal cord in the rat, 257
Takayama, H., Kohsaka, S., Shinozaki, T., Inoue, H., Toya, S., Ueda, T. and Tsukada, Y., Immunohistochemical studies on synapse formation by embryonic cerebellar tissue transplanted into the cerebellum of the weaver mutant mouse, 246
Takei, K., Oka, Y., Satou, M. and Ueda, K., Horseradish peroxidase study of the localization of motoneurons in the accessory nucleus (XI) of the Japanese toad, 241
Taniura, H., see Hayashi, Y., 321
Tapia-Arancibia, L., see Siaud, P., 47
Thu Ha, N.T., see Bartha, E., 190
Timiras, P.S., see Cole, G.M., 207
Toya, S., see Takayama, H., 246
Tsukada, see Takayama, H., 246
Tsukui, H., see Hatanaka, H., 85
Tsutsumi, K., Niwa, M., Kawano, T., Ibaragi, M. -a., Ozaki, M. and Mori, K., Atrial natriuretic polypeptides elevate the level of cyclic GMP in the rat choroid plexus, 174
Tsyndrenko, A.Ya., see Akaike, N., 326
Tyc-Dumont, S., see Durand, J., 295

Ueda, K., see Takei, K., 241
Ueda, T., see Takayama, H., 246
Uhr, M., see Hösli, L., 108

Vargas, M., Mendez, M., Cisneros, M., Joseph-Bravo, P. and Charli, J.L., Regional distribution of the membrane-bound pyroglutamate amino peptidase-degrading thyrotropin-releasing hormone in rat brain, 311
Venter, V., see Bartha, E., 190
Vieillemaringe, J., Souan, M.-L., Grandier-Vazeilles, X. and Geffard, M., Immunocytochemical localization of acetylcholine receptors in locust brain using auto-anti-idiotypic acetylcholine antibodies, 59
Villa, I., see Guidobono, F., 91
Vuillez, P., Carbajo Pérez, S. and Stoeckel, M.E., Colocalization of GABA and tyrosine hydroxylase immunoreactivities in the axons innervating the neurointermediate lobe of the rat pituitary: an ultrastructural immunogold study, 53

Ward, L., see McKinnon, G., 163
Weitzman, P.D.J., see Rutherford, D.M., 337
Wiesner, J.B., Henriksen, S.J. and Bloom, F.E., Ethanol enhances recurrent inhibition in the dentate gyrus of the hippocampus, 169
Wilcox, R.E., see MacRae, P.G., 138
Witkin, J.W., Immunocytochemical demonstration of luteinizing hormone-releasing hormone in optic nerve and nasal region of fetal rhesus macaque, 73
Woodruff, G.N., see Hill, D.R., 286

Yamashita, H., see Inenaga, K., 123
Youngster, S.K., Saari, W.S. and Heikkila, R.E., 1-Methyl-4-cyclohexyl1-1,2,3,6-tetrahydropyridine (MCTP): an alicylclic MPTP-like neurotoxin, 151